

Appl. No. 09/886,014

Amtd. dated October 29, 2004
Reply to Office action of June 3, 2004

Amendments to the Drawings:

The attached sheets of drawings includes changes to Figs. 4, 6, 7, 13 and 14. These sheets, which include Figs. 4, 6, 7, 13 and 14, replace the original sheets including Figs. 4, 6, 7, 13 and 14.

Attachment: Replacement sheets (Figs. 4, 6, 7, 13 and 14).

Annotated sheets showing changes.

New drawings sheets including new Figs. 17 and 18.

O P E
NOV 03 2004
100-100000000000
JUNIOR PATENT OFFICE
865

Replacement Sheet

HOME

280

Bolts Main Page




FIG 4

NOV 03 2004

PTO OFFICE 865

Replacement Sheet




FIG 6

NOV 03 2004

O I P E
SEARCHED INDEXED SERIALIZED FILED
NOV 03 2004
U.S. PATENT AND TRADEMARK OFFICE

Replacement Sheet





FIG 7




NOV 03 2004

Replacement Sheet



Knurled Nuts

Knurled Brass Nuts are used to attach diffuser shields on square recessed lighting fixtures found throughout many homes, recreation rooms, bathrooms and mobile homes. Knurled Nuts are also found on many electrical fixtures where the threaded stud is anchored in the junction box and the fixture is mounted over and through the studs. Knurled Nuts are hollow allowing adjustment anywhere along the tread of the stud.





Check current availability

FIG 13

NOV 03 2004



O I P E
SEARCHED
SERIALIZED
INDEXED
FILED
NOV 03 2004

Replacement Sheet



Knurled Screws

Knurled Head Screws are available in either Brass or Chrome Plated Steel in various lengths. These screws are used predominately for attaching glass globes to light fixtures on Ceiling Fans, Bathroom, Kitchen and Bedroom lights as well as exterior lights. Knurled screws are installed or removed using finger pressure and can be used as decorative adjustment screws on a variety of other products.



Check current availability

SECTION 0 COLOR
LABEL
Yellow

You will find them in...

NOV 03 2004

Annotated Sheet Showing Changes

HOME

२८

Bolts Main Page

274
284

304

204




FIG 4

NOV 03 2004
8658

Annotated Sheet Showing Changes




FIG 6

NOV 03 2004

O I P E
8695
2004-11-03

Annotated Sheet Showing Changes






FIG 7

NOV 03 2004

O I P E
RECEIVED
NOV 2004
865

Annotated Sheet Showing Changes



Knurled Nuts

Knurled Brass Nuts are used to attach diffuser shields on square recessed lighting fixtures found throughout many homes, recreation rooms, bathrooms and mobile homes. Knurled Nuts are also found on many electrical fixtures where the threaded stud is anchored in the junction box and the fixture is mounted over and through the studs. Knurled Nuts are hollow allowing adjustment anywhere along the tread of the stud.






FIG 13

Annotated Sheet Showing Changes



Knurled Screws

Knurled Head Screws are available in either Brass or Chrome Plate Steel in various lengths. These screws are used predominately for attaching glass globes to light fixtures on Ceiling Fans, Bathroom, Kitchen and Bedroom lights as well as exterior lights. Knurled screws are installed or removed using finger pressure and can be used as decorative adjustment screws on a variety of other products.









FIG 14

NOV 03 2004
1998


New Drawings

FIG 17



Knurled Screws

Knurled Head Screws are available in either Brass or Chrome Plate Steel in various lengths. These screws are used predominantly for attaching glass globes to light fixtures on Ceiling Fans, Bathroom, Kitchen and Bedroom lights as well as exterior lights. Knurled screws are installed or removed using finger pressure and can be used as decorative adjustment screws on a variety of other products.






282

283

Check current availability

284



284

284

O I P E
NOV 03 2004
SEARCHED INDEXED
SERIALIZED FILED
JCP&B
U.S. PATENT AND TRADEMARK OFFICE

New Drawings




FIG 18